# The eco-function of GIAHS and it's eco-compensation

in "Honghe Hani Rice Terraces System", Yunnan Province

#### Liu Moucheng

**Associate Professor** 


Institute of Geographic Sciences and Natural Resources Research, CAS

#### Content

- Honghe Hani Rice Terraces System
- Eco-function evaluation
- **■** Eco-compensation mechanism




## Hani Rice Terraces (2010. 6)





## Landscape Structure



## Rice-fish system










Table 1 The density of weeds in R-F (rice-fish eco-agriculture) and HR (hybrid rice monoculture)

Wood species	Density	
Weed species	HR	R-F
Ceratophyllum demirsum	32 <sup>a</sup>	7.6b
Potamogeton distinctus	12 <sup>a</sup>	$o_{\rm p}$
Sagittaria pygmaea	12.6a	$0.2^{\mathrm{b}}$
Hydrila vercillata	6.2a	$\mathbf{O}_{\mathbf{p}}$
Monochoria vaginalis	7.9 <sup>a</sup>	$o_p$
Rotala indica	6.4a	0.6b
Salvinia natans	$3.8^{a}$	$O_{\rm p}$
Ottelia alismoides	3 <sup>a</sup>	$O_{\rm p}$
Utricularia aurea	2.4 <sup>a</sup>	$1^{\mathrm{b}}$
Eleocharis yokoscensis	4 <sup>a</sup>	$\mathbf{o}_{\mathbf{p}}$
Sagittaria sagittifolia.	2.2 <sup>a</sup>	Op
Marsilea quadrifolia	1.6a	$0.8^{b}$
Echinochloa crusgalli	$0.2^{\mathrm{b}}$	$0.2^{\mathrm{b}}$
Eleoohayis plantagineif	0.2ª	Op

**Note:** the same row followed by common letters (a, b) is not considered significantly different on a 0.05 level.



### Diversified rice crops








15 cm 20 cm Hybrid monoculture 2.4 m 15 cm 30 cm Mixture 2.4 m 15 cm 15 cm 30 cm

Glutinous monoculture


#### **Eco-services Comparison**



traditional system

hybrid rice monocropping

#### Many eco-functions are public goods










#### Economic value



#### 1. ROI

	ROI	ROI rate
Tradition	1:5.8	485%
Hybrid	1:7.0	599.9%

2.Opportunity of labor Yuan/a


	Industry	Tradi tion	Hybri d
Net Income	6300	3216	2188

traditional system

hybrid rice monocropping

#### **Threats**

- the low yield of traditional rice varieties
- the loss of young labor forces in rural area
- the mono-cropping of high-yield hybrid rice
- the usage of the chemical fertilizers and pesticides
- the local water and soil environment pollution





#### **Eco-label certification**

- It must go through a stage of organic conversion from non-organic producing to organic producing.
- The local government should pay farmers during organic conversion period, to incentive farmers inherit traditional environment-friendly technology.



## Input & Output





## Eco-compensation—rice price


 If paddy rice price is 9.52 Yuan/kg, it is reasonable for protecting terrace landscape and traditional planting pattern in Hani terrace region

Now, the purchase price is 3.84 yuan/kg, and the extra compensation price is just 5.68 yuan/kg

·	Input	Output		Benefit	
	yuan/hm²	Kg/hm <sup>2</sup>	yuan/hm²	yuan/hm²	
 Tradition	15476.5	5250	14175	-1301.5	_
Hybrid	6470	8250	22275	15805	

### **Eco-compensation**—Integrated Approach

- Government pay farmers to shift cultivation method
- Local ecosystem would become better
- Eco-label could be used
- With the industry development, the income of agricultural activities increase
- The direct payments to farmers could be reduced



#### **Conclusions**

- Demand for environmental services from agriculture will increase.
- GIAHS can provide a better mix of ecosystem services to meet society's changing needs.
- If farmers are to provide a better mix of ecosystem services, better incentives will be required. Eco-compensation can help.
- Cost-effective Eco-compensation mechanism require careful design based on the characteristics of the service and the biophysical and socio-economic context.



梯田秋色